

L Number	Hits	Search Text	DB	Time stamp
1	1657	(transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4) WITH ((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software) NEAR4 (cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing)) WITH (device OR computer OR host OR client OR terminal OR kiosk)	USPAT	2004/10/31 00:44
2	165	((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4) WITH ((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software) NEAR4 (cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing)) WITH (device OR computer OR host OR client OR terminal OR kiosk)) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4) WITH key\$1 WITH (portable OR mobile OR fob OR chip OR card OR smartcard OR PCMCIA OR token))	USPAT	2004/10/31 00:45

3	93	<p>((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk)) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>key\$1</p> <p>WITH</p> <p>(portable OR mobile OR fob OR chip OR card OR smartcard OR PCMCIA OR token)</p> <p>) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(encrypt\$4 OR encipher\$4 OR scrambl\$4))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk))</p>	USPAT	2004/10/31 00:46
---	----	---	-------	------------------

4	89	<p>(((((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk)) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>key\$1</p> <p>WITH</p> <p>(portable OR mobile OR fob OR chip OR card OR smartcard OR PCMCIA OR token)</p> <p>)) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(encrypt\$4 OR encipher\$4 OR scrambl\$4))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk))) AND ((device OR computer OR host OR client OR terminal OR kiosk)</p> <p>WITH</p> <p>(reprocess\$4 OR decrypt\$4 OR decipher\$4 OR descrambl\$4 OR unscrambl\$4 OR verif\$6 OR valid\$6 OR signature\$1)</p> <p>WITH</p> <p>(information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>)</p>	USPAT	2004/10/31 00:46
---	----	---	-------	------------------

5	16	<p>(((((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk)) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>key\$1</p> <p>WITH</p> <p>(portable OR mobile OR fob OR chip OR card OR smartcard OR PCMCIA OR token)</p> <p>)) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(encrypt\$4 OR encipher\$4 OR scrambl\$4))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk))) AND ((device OR computer OR host OR client OR terminal OR kiosk)</p> <p>WITH</p> <p>(reprocess\$4 OR decrypt\$4 OR decipher\$4 OR descrambl\$4 OR unscrambl\$4 OR verif\$6 OR valid\$6 OR signature\$1)</p> <p>WITH</p> <p>(information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>)) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p>	USPAT	2004/10/31 00:47
Search History		10/31/04 1:16:01 AM	Page 4	
C:\APPS\EAST\Workspaces\09398876.wsp		With		

L Number	Hits	Search Text	DB	Time stamp
6	661	<p>(transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk)</p>	EPO; JPO; DERWENT	2004/10/31 01:18
7	274	<p>((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk)</p> <p>) AND (@pd<19990112)</p>	EPO; JPO; DERWENT	2004/10/31 01:19

8	14	<p>((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk)</p> <p>) AND (@pd<19990112)) AND ((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>key\$1</p> <p>WITH</p> <p>(portable OR mobile OR fob OR chip OR card OR smartcard OR PCMCIA OR token))</p>	EPO; JPO; DERWENT	2004/10/31 01:20
---	----	--	----------------------	------------------

9	6	<p>(((((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(cryptograph\$6 OR hashed OR oneway OR (one ADJ1 way) OR checksum OR CRC OR signed OR signing))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk)</p> <p>) AND (@pd<19990112)) AND (((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>key\$1</p> <p>WITH</p> <p>(portable OR mobile OR fob OR chip OR card OR smartcard OR PCMCIA OR token))) AND (((transmi\$5 OR send\$4 OR forward\$4 OR transfer\$5 OR uplink\$4 OR provid\$4 OR receiv\$4 OR download\$4)</p> <p>WITH</p> <p>((information OR data OR message\$1 OR file\$1 OR command\$1 OR object\$1 OR instruction\$1 OR code\$1 OR program\$4 OR software)</p> <p>NEAR4</p> <p>(encrypt\$4 OR encipher\$4 OR scrambl\$4))</p> <p>WITH</p> <p>(device OR computer OR host OR client OR terminal OR kiosk))</p>	EPO; JPO; DERWENT	2004/10/31 01:21
---	---	--	----------------------	------------------

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 90

[Index Indication](#)[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on
the button to the right.

[Number Search](#)**Applicant, Title of invention, Abstract** --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a **SPACE** between keywords.

One letter word or **Stopwords** are not searchable.

[OR](#)

AND

[OR](#)

AND

[OR](#)

AND

Date of publication of application --- e.g. 19980401 - 19980405

-

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a **SPACE** between keywords.

[Search](#)[Stored data](#)

Copyright (C); 1998,2003 Japan Patent Office